



## Outrigger Pads

BWI Enterprises Ltd. Outrigger Pad is made from Ultra-High-Molecular-Weight polyethylene (UHMW). It has extremely long molecular chains, numbering in the millions. The longer chain transfers load more effectively. This results in a very tough material.

- Absorbs no water
- Advanced material and fabrication
- Chemical & oil Resistant
- Custom sizes and color available
- Doesn't chip, peel, crack, delaminate or rot
- Easy to clean
- Ergonomic & environmentally friendly
- Form recall, after bending
- Hand cut-outs for field



- Handling easy storage
- Lightweight, floats in water
- Logo imprint available
- No cold embrittlement, works from -155°F to + 200°F
  - Non-conductive, non-magnetic, and non-ferrous
  - Non-marking and non-abrasive
- Simple to install and requires virtually no maintenance
  - Tough, virtually Unbreakable
- UHMW is 15 times more abrasion resistant than carbon steel
  - Unlimited Lifetime Warranty



Square Outrigger Pads		
Size(mm)	Load Capacity (Tonnes)	Weight(KG)
300 x 300 x 25	4	2.3
300 x 300 x 40	9	3.6
400 x 400 x 25	8	4
400 x 400 x 30	8	4.8
400 x 400 x 40	10	6.4
400 x 400 x 50	12	8
400 x 400 x 60	15	9.6
500 x 500 x 25	10	6.3
500 x 500 x 30	12	7.5
500 x 500 x 40	15	10
500 x 500 x 50	18	12.5
500 x 500 x 60	20	15
600 x 600 x 30	13	10.8
600 x 600 x 40	20	14.4
600 x 600 x 50	23	18
600 x 600 x 60	25	21.6
700 x 700 x 50	25	24.5
700 x 700 x 60	28	29.4
800 x 800 x 40	25	25.6
800 x 800 x 50	28	32
800 x 800 x 60	30	38.4
800 x 800 x 80	35	51.2
1000 x 750 x 50	32	37.5
1000 x 1000 x 40	30	40
1000 x 1000 x 50	40	48
1000 x 1000 x 60	50	60
1000 x 1000 x 80	70	80



1000 x 1000 x 100	80	100
1200 x 1200 x 60	110	86.4
1200 x 1200 x 80	120	115.2
1200 x 1200 x 100	160	144
1500 x 1500 x 100	200	225
2000 x 1000 x 100	220	200
3000 x 1000 x 100	300	300



Round Outrigger Pads		
Size(mm)	Load Capacity(Tonnes)	Weight(KG)
Diam. 650 x 60	25	19.9
Diam. 800 x 40	20	20
Diam. 800 x 50	25	25.1
Diam. 800 x 60	30	30.2
Diam. 1000 x 40	35	31.4
Diam. 1000 x 50	40	39.3
Diam. 1000 x 60	45	47.1
Diam. 1000 x 80	50	62.8
Diam. 1000 x 100	60	78.5
Diam. 1200 x 80	70	90.5
Diam. 1200 x 100	80	113.1



## Different Colors and Designs:

